

Urban District of Chadderton.

# REPORT



ON

THE HEALTH OF THE DISTRICT, ~ ~
THE SCHOOLS @ SCHOOL CHILDREN,

For the Year 1915, by

JAMES WOOD, M.D., Ch.B., D.P.H.,

MEDICAL OFFICER OF HEALTH, SCHOOL MEDICAL OFFICER, --

AND

Medical Officer to the Chadderton, Royton, and Crompton
JOINT HOSPITAL BOARD.



Maternity Thild Welfare Copy.



Urban District of Chadderton.

# REPORT

ON

THE HEALTH OF THE DISTRICT, -THE SCHOOLS @ SCHOOL CHILDREN,

For the Year 1915, by

JAMES WOOD, M.D., Ch.B., D.P.H.,

MEDICAL OFFICER OF HEALTH, SCHOOL MEDICAL OFFICER, --

AND

Medical Officer to the Chadderton, Royton, and Crompton IOINT HOSPITAL BOARD.



# Medical Officer's Annual Report.

To the Chairman and Members of the Chadderton Urban District Council.

GENTLEMEN,

I have the honour to submit to you the Annual Report for the year 1915, which, on the recommendation of the Local Government Board, is considerably curtailed.

A large number of men from the District having joined His Majesty's Forces made the estimated population for 1915 of no value, and a new estimate has been provided by the Registrar-General, the death-rates being calculated on these figures, whilst the birth-rate is calculated on the estimated population for the year 1914.

The death-rate is probably greater than it otherwise would have been, as the death-rate of men of military age is less than that of those over military age.

In May the Council granted one of the Health Visitors (Miss E. Wolstencroft) temporary leave of absence to undertake Military Nursing, and at the close of the year she was still so occupied.

I am, Gentlemen,

Your obedient Servant,

JAMES WOOD, M.D., D.P.H.

## Chadderton Urban District.

### Summary of Statistics for the Year 1915.

Area in Statute Acres	3,082
Population (Census) 1911	28,305
Estimated Population 1915 (Registrar-General's)	27,868
Number of Inhabited Houses, Census 1911	6,355
Average Number of Persons per House, Census 1911	4.45
Nett Births, 1915 $\left\{ \begin{array}{ll} \text{Males,} & 326 \\ \text{Females,} & 328 \end{array} \right\}$ Total	654
Nett Deaths $\left\{ \begin{array}{ll} \text{Males,} & 212 \\ \text{Females,} & 218 \end{array} \right\}$ Total	430
Birth Rate	22.1
Death Rate	15.4
Infantile Death Rate	123.8
Zymotic Death Rate	1.43

Of the Deaths during the year 135, or 31.4 per cent., were those of children under 5 years of age.

### Acute Infectious Diseases.

SCARLET FEVER.—Ninety-three cases of this disease were notified during the year. One case died. The previous year there were two deaths out of 203 notified. During the first five months of the year 53 cases were notified, in July nine, and in August 14, the remaining months being comparatively free. Thirty-two cases (34.4%) were sent to the Isolation Hospital.

ENTERIC FEVER.—Two cases of Enteric Fever were notified during the year, and three deaths occurred—two of them being cases which were notified in 1914, giving a death-rate of 0.10 per 1,000. One of the two cases was removed to Westhulme Hospital. Last year three deaths occurred (excluding the two deaths mentioned above) out of the nine cases notified.

The blood of four suspected cases was sent for examination, two of which gave a positive result.

**DIPHTHERIA.**—Fourteen cases were notified during the year, against 25 the previous year. Four of these cases were sent to the Isolation Hospital. No case proved fatal. Two cases proved fatal the previous year, giving a death-rate of 0.067 per 1,000.

Three swabs were examined for the Diphtheria Bacillus; all were negative.

Anti-Diphtheritic Serum is supplied by the Council free of charge. There has been a greater demand for it than in previous years. The Serum can be obtained at the Town Hall during office hours, and at other times from the Police Station in Victoria Street.

PUERPERAL FEVER.—Four cases were notified, one of which died. Last year two cases were notified, and both recovered.

**ERYSIPELAS.**—Fourteen cases were notified during the year; all these recovered. The previous year there were 23 cases notified, and one died.

MEASLES.—Thirteen deaths were registered from Measles, two being under one year old. Last year 18 deaths occurred, four of which were under one year of age. The death-rate from this disease was 0.466 per 1,000, against 0.61 per 1,000 last year. During December public notice was given by the Council that Measles and German Measles would become compulsorily notifiable on the 1st of January, 1916.

WHOOPING COUGH.—Five deaths were due to this disease, two being under one year old, two between one and two years, and one between two and five years old, the death-rate being 0.179 per 1,000. The previous year there were eight deaths from this disease, giving a death-rate of 0.27 per 1,000.

TUBERCULOSIS.—Eighty-two primary notifications of this disease were received, 57 being of the Pulmonary Form and 25 of Other Forms. Twenty-two deaths occurred from the former and nine from the latter, giving death-rates of 0.89 and 0.32 per 1,000 respectively. In 1914 the death-rate from the Pulmonary Form was 1.05 per 1,000, and from the Other Forms 0.34 per 1,000. Thirty-seven cases were visited at their homes. During the year the County Council appointed a Nurse, who visits the homes of the cases and makes a report to the Tuberculosis Officer, a copy of which is sent to your Medical Officer of Health.

There is no Sanatorium in the District. Twenty-nine patients were sent to various Sanatoria by the Insurance Committee during the year.

DIARRHŒA AND ENTERITIS.—The deaths from Diarrhœa and Enteritis numbered 18, the death-rate being 0.65 per 1,000, against 0.78 the previous year. During the early Summer months a pamphlet on the dangers of the "fly nuisance" was delivered to each house in the District. Ten of the deaths were of infants under one year of age. The previous year the number was 22.

MORTALITY IN INFANCY.—There were 81 deaths of children under one year of age; six of these were illegitimate. The Infantile death-rate was 123.8 per 1,000 births, against 101 per 1,000 births in 1914. In England and Wales during 1915 there were 110 deaths under one year per 1,000 births. The chief causes of death being Premature Birth (18), Atrophy (10), Diarrhæa (8), Pneumonia (8). Thirty-three or 40.7 per cent. of the deaths under one year of age occurred in the first four weeks of life, 21 of this number being under one week old.

Infantile death-rates for Chadderton for the previous ten years:—

1905	145 per	1,000.
1906	117	,,
1907	166	,,
1908	147	, ,
1909	103	,,
1910	152	,,
1911	141	,,
1912	129.6	, ,
1913	116	, ,
1914	101	,,
Average for ten years	131.7	,,

# Health Visitor's Report

From December 31st, 1914, to December, 1915.

No.	of	Notif	fications of Births received	629
No.	of	Notif	fications by Registrar	33
			Cases Visited	400
No.	of	Subs	equent Visits	236
No.	of	Infan	its Breast-fed at First Visits	328
,,		,,	Fed on Breast and other Foods at First Visits	17
,,		,,	Infants Wholly Fed on Artificial Food	49
,,		,,	Dead before Visiting	$\epsilon$
Still	В	irths	***************************************	22

I am pleased to report that the Mothers continued to receive the visits to their homes very well. In many cases the Mothers expressed a desire for further visits.

Owing to continued absence of Nurse Wolstencroft, who is engaged on Military Duties and has been since May, 1915, and the increase in attendances at the School Clinic, the number of visits is not as great as one would desire.

I find most parents have their infants sleeping with them at night. The Mothers are advised to provide cots for them, and in many cases cots have been procured. In very poor homes I advise clothes baskets or drawers to be used for the purpose.

A card on the care and feeding of infants is left at each house on the first visit.

There are many cases found of improper feeding, dirty bottles, unsuitable bottles (i.e., long tubed ones) and comforters. The latter I advise the Mother to destroy, and

instructions are given re the cleansing of bottles (of which there should be at least two) and the proper feeding of the infant. Mothers are also advised to put their children to sleep out of doors on suitable days, and also to provide for a sufficiency of fresh air during the night. Attention is also given to the storage of milk, and instructions given on the best method of storing such.

### FACTORY AND WORKSHOPS ACT.

There are 84 Factories (including non-textile factories) registered in the District.

Twenty visits have been paid to these, and 13 notices served relating to defective closet accommodation.

As regards the Work-hops, of which there are 74 on the register, 44 visits have been paid to these, and three notices served, relating to such matters as want of limewashing and defective drains.

The majority of the Bakehouses are kept in a satisfactory condition. At the commencement of the year there were two underground bakehouses, but one has lapsed; the one remaining has previously been certified by the Council as to its suitability.

### 1.—INSPECTION Number of Written Inspec-Prosetions. Notices. cutions. Factories (including Factory Laundries) 20...... 13 ...... Workshops, Workplaces ...... 44 Total ..... 64 16 . . . . . .

### 2.—DEFECTS FOUND

2.—DEF.	ECIP	rU	TRU	<i>)</i> .			
				Re	eferre	d to	Prose-
Particulars.	Found.	$ m R\epsilon$	emedie	ed. H.	M. In	spt.	cution
Nuisances under the Public							
Health Acts:—							
Want of Cleanliness							
Want of Ventilation							
Overcrowding							
Want of Drainage of Floors							
Other Nuisances			3				
Sanitary Accommodation:							
Insufficient						• • •	
Unsuitable		• • •	13				
Not Separate for Sexes							
Offences under Factory &							
Workshop Act:							
Illegal Occupation of Under	:-						
ground Bakehouse			1				
Breach of Special Sanitary							
Requirements for Bake-							
houses				• • •	-	• • •	
Other Offences	_	• • •			_		
Total	17		17				
3 —H	MEV	VOI	RK.				

### 3.—HOMEWORK.

No Lists of Homework have been received during the year.

### 4.—REGISTERED WORKSHOPS.

Dressmakers and Milliners	2
Boot, Shoe, and Clogmakers	14
Plumbers	3
Bakehouses	40
Brushmakers	1
Skipmakers	2
Tinplate Workers	3
Mineral Water Works	3
Various Others	6
Total	74

### 5.—OTHER MATTERS.

Class (1). Num	ber (2).
Matters notified to H.M. Inspector of Factories	_
Failure to affix Abstract of F. & W. Acts	1
Action taken in matters referred by H.M. Inspector	
as Remediable under the Public Health Acts but	
not under the Factory and Workshops Acts.—	
Notified by H.M. Inspector. Reports (of action	
taken) sent to H.M. Inspector	_
Other	
Underground Bakehouses in use at end of the year	1

### HOUSING AND TOWN PLANNING, &c., ACT, 1909.

During the year 175 houses were inspected in accordance with the Housing (Inspection of District) Regulations, 1910.

Of these 13 were represented as being unfit for human habitation, six have been closed, and two have since been made into one through house.

The following table gives particulars of work done	:
No. of Houses Inspected	175
No. considered unfit for Human Habitation	13
No. of Representations to Local Authority	13
No. of Closing Orders made	13
No. of Houses which were Made Fit after Closing	2

The addresses of the houses which were considered to be in a state so dangerous or injurious to health were Nos. 118 and 120 Burnley Lane, Nos. 65, 67, 2 and 4 off 55 Lansdowne Road, Nos. 26, 27, 31, 32, 35, 37, 38 Chadderton Fold. Nos. 118 and 120 Burnley Lane, 2 and 4 off 55 Lansdowne

Road have been closed, and 65 and 67 Lansdowne Road have been made into a through house and the closing order withdrawn.

You will observe from the following table that the largest number of houses inspected consisted of four rooms, and that only two cases of overcrowding were found.

Of the total number of houses inspected 172 were through houses, one was a single back or had no back door, and two were back-to-back houses.

The following table gives particulars of rooms and occupants at the time of inspection:—

	No. of Occupants per House.										
No. of Rooms per House.	1	2	3	4	5	6	7	8	9	10	Total.
	***********	A- 10/10/07		No	. OF	Hous	SES.				
1							•••				
2		2	1		1	1					5
3		1	2	1	1						5
4	3	29	33	36	20	17	5	3			146
5		1	1	2	2	1	2	2	2	1	14
6			1		1	1					3
7											
8		1						•••			1
9			)   ···								
10				1							1
Totals	3	34	38	40	25	20	7	5	2	1	175

The following table gives the general character of defects found to exist:—

Defective Plastering of Walls and Ceilings	31
Dampness of House Premises	73
a ·	
Defective Drainage	4
Untrapped Drains	22
Defective Roofs	5
Defective Eavesgutters	5
Defective Downspouts	9
Defective Brickwork of Houses and Outbuildings	8
Defective and Unpaved Yards	37
Defective and Insufficient Ash-bins	7
Defective Ash-pits	9
Defective Sink Waste-pipes	13
Want of Pointing to External Walls & Chimney Stacks	20
Defective Floors	36
Want of Sash Cords	31
Want of Cleansing and Limewashing of Walls & Ceilings	26
Defective Slop-stones	2
Defective Stairs	3
Animals so kept as to be a Nuisance	2
Broken Window Panes	6
Defective Closet Accommodation	3
Miscellaneous Defects	6

### VITAL STATISTICS OF THE DISTRICT.

REGISTRAR-GENERAL'S ESTIMATED POPULATION - 27,868.

### DEATHS

375 Deaths were registered in Chadderton, giving a crude death-rate of 13.09 per 1,000 of the estimated population. Of the above deaths 13 were non-residents in the District, and were transferred to their respective areas. On the other hand, 68 deaths of persons belonging to Chadderton occurred in other Districts, and have to be added to the above. Thus the nett deaths are 430 (212 Males and 218

Females), the nett death-rate being 15.42 per 1,000, the average for the last ten years being 16.6 per 1,000. The death-rates for the past ten years being:—

1905		17.1
1906	•••••	18.1
1907		19.1
1908		17.3
1909		16.1
1910		16.4
1911		16.3
1912		17.0
1913		13.7
1914		15.2
Averag	ge for last 10 years	16.6

The standardised death-rate for the year was 16.76, that of England and Wales being 14.8 per 1,000.

Forty deaths were due to the seven principal Zymotic Diseases, giving a zymotic death-rate of 1.43 per 1,000, against 1.86 last year. For the past five years the numbers are:—

1	.911.	1912.	1913.	1914.	1915.
Smallpox	0	0	0	0	0
Scarlet Fever	3	3	3	2	1
Diphtheria	1	2	5	2	0
Enteric Fever	2	3	2	3	3
Measles	14	19	4	18	13
Whooping Cough	8	8	3	8	5
Diarrhœa	47	6	29	22	18
	75	41	46	55	40
Zymotic death-rate .	1.8	1.43	1.57	1.86	1.43

The Coroner held 23 Inquests during the year and six Enquiries. Six deaths were uncertified.

### BIRTHS.

During the year 650 Births were registered in Chadderton, and four were supplied by the Registrar-General, making a total of 654 (326 Males and 328 Females), the birth-rate being 22.1 per 1,000 of the estimated population for 1914. This is the lowest birth-rate registered in the District, the previous lowest being 24.1 last year. Thus, this year we have nine more deaths in children under one year of age and 53 fewer births than in 1914.

There were 23 Illegitimate Births (7 Males and 16 Females), being 3.5 per cent. of the births, the same as last year.

Birth-rates in Chadderton for the previous 10 years:—

	1,000
1906 28.0 ,,	
1907 28.8 ,,	
1908 28.7 ,,	
1909 29.5 ,,	
1910 25.6 ,,	
1911 25.2 ,,	
1912 24.2 ,,	
1913 25.0 ,,	
1914 24.1 ,,	
Average for the previous	
ten years 26.6 ,,	

It will be observed that this year's birth-rate is 4.5 per 1,000 below the average for the past ten years, which means that the number of births this year is 125 less than it would have been if the average had been maintained.

I have the honour to be, Gentlemen, Your obedient Servant,

> JAMES WOOD, M.D., D.P.H., MEDICAL OFFICER OF HEALTH.

# Report of Inspector of Nuisances.

TO THE MEDICAL OFFICER OF HEALTH.

I herewith submit for your information my Annual Report for the year ended December 31st, 1915.

In connection with the abatement of nuisances and defective sanitary arrangements I have continued my usual practice, when in the discovery of any nuisance, either as the result of a complaint, house-to-house or other inspection, of forwarding to the Owner or Agent the informal notice specifying the works necessary to abate the nuisance, and in every case it is my aim to see that all works are carried out in the best manner possible, so that the work done will be of a permanent character and will comply with the requirements.

In many cases no further notice is required; the work is carried out and good results obtained. There are, however, a few people who will not attempt to make any compliance with a notice, statutory or otherwise, until a threat to either prosecute or enforce the notice is sent by the Clerk to the Council or by myself. I am pleased to say that this method has usually the desired effect.

The following is a summary of the work done: -

Number	of	Informal Notices served	517	
,,	,,	Statutory Notices served	31	
,,	,,	Smoke Observations	29	
	,,	Houses Inspected under Housing Act	175	
,,	,,	Infectious Cases Notified	220	
,,	••	Rooms Disinfected	373	
,,		Pail Closets Converted to Water		
,,	,,	Carriage	167	
,,	, ,	Ash-pits Abolished	148	
,,		Ashbins Substituted	359	
		Diseased & Unsound Meat Destroyed	764	lbs.
,,		Other Foods Destroyed	13	lbs.
		,, ,, ,,	1500	
		actory and Workshops	64	CDD.
		laughterhouses, Meat, Fish, and other	0.4	
,, ,,	<i>(</i> )	Shops where Food is Prepared or Sold	259	
		shops where rood is frepared of soid	200	

Table containing particulars of nuisances and other defects dealt with:—

Nature of Nuisances and other Defects.	Unabated.	Recorded.	Abated. 1915.	Unabated. 1915.
Dirty Houses		3	7	1010.
Houses Stripped & Whitewash				
after cases of Infectious Disea	se 2	8	10	
Defective and Insufficient Ashbi	ns 20	125	141	4
,, Sanitary Pails	3	50	52	1
,, Drains	2	18	17	3
,, Sink Waste Pipes	4	59	62	1
,, Closet Doors		^ 27	25	2
,, Ash-pit Doors		.3	$^{2}$	1
,, W. W. C's		6	8	1
,, W. C's	1	7	8	
,, Downspouts		15	15	
,, Eavestroughs		4	4	
,, Closet Seating		$^2$	$^2$	
,, Closet Roofs and				
Brickwo	rk	3	3	
,, Ash-pits	4	84	79	9
,, Middensteads		4	4	

Blocked Drains		22	· 22	
Untrapped Drains	5	9	11	3
No Ash-pit Accommodation		19	17	2
Insanitary Pail Closets		4	4	
Dirty Cowsheds		1	1	
Dampness to House Premises		3	3	
Overcrowding	3	3	6	
Accumulation of Offensive Matter		4	4	
,, ,, Manure		9	9	
Insufficient Closet Accommodat'n		6	5	1
Animals so kept as to be a Nuisance		7	7	
Defective Channelling		9	9	
	51	514	537	28

Nuisances, &c., contained in the above table do not include those dealt with under the Housing Act, particulars of which will be found on page 13.

### SMOKE OBSERVATIONS.

During the year 29 observations have been taken of mill chimneys within the District, and on eleven occasions the limit of Black Smoke allowed by the Council has been exceeded. The duration of each observation was 30 minutes, and the limit allowed for Black Smoke is as follows:—

Where 1 or 2 boilers are working, 2 minutes per half hour.

"	-	,,	,,	"	_	"	"	"	"
,,	4  or more	,,	,,	,,	4	,,	,,	,,	,,

The following table gives the number of observations taken and the result of same:—

Total Observat'ns taken	No Black Smoke	Under 1 minute	1 and under 2 minutes	2 and under 3 minutes	3 and 4 both inclusive	Over 4 minutes	
29	9	3	3	3	0	11	

Га	ble (	wir	ıg ]	Firms	s re	poi	tec	l to	tł	ie I	He	altk	ı C	ommitte
	VICTORIA	NILE	RAMSEY	United	Ram	Logwood	SWAN	VALE	TEXTILE	Palm	RUSHBANK	Wren		NAME OF MILL
	Drury Lane	Do	Fields New Road	Block Lane	Slacks Valley	Mill Brow	Middleton Junct'n	Peel Street	Cobden Street	Stockbrook	Whittaker Street	James Street		Where Situate
	22	٥٦	లు	4	4		4	4	6	6	သ	4		No. of Boilers
	38	100	63	<b>Ф</b>	70	45	78	53	100	12)	42	62	Tons	Coal Consumed Weekly
	22	4	22	ec	ಲ	<u>,</u>	లు	లు	<b>ं</b> गर	ಲ್	12	သ		No. of Boilers Working
	None	Yates & Thom's Rocking Bars	None	Green's Smoke Consumer	None	Induced Draught	None	Broadbent's	,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	19	None		Appliances fixed to Furnaces
	*	*	3	;	3	3	3	*	ï	ž	ÿ	Statutory Notice		Result
	×	z	"	š	"	*	"	ž	3	3	*	Notice		น่ะ

# TABLE SHEWING FIRMS REPORTED TO THE HEALTH COMMITTEE.

You will observe from the above table that twelve Statutory Notices were served upon the offending Firms, and that no proceedings were instituted in any case.

After an observation has been taken on any mill chimney the Firm are furnished with a copy of the report on the same day, if possible, and should the amount of Black Smoke be excessive the works are visited immediately after the observation has been completed and the result reported to the engineer. Further particulars are also obtained.

### OFFENSIVE TRADES.

The number of premises under this heading is four, and these are in respect of tripe-boiling. They are periodically inspected, and limewashing is regularly carried out.

The Council have not yet adopted any Bye-laws controlling these Trades.

### SLAUGHTER-HOUSES.

There are seven private Slaughter-houses in the District. These are licensed annually. Three licenses have been cancelled by the Council as the premises were declared to be insanitary or otherwise unfit to be used for the purpose.

The premises are visited regularly each week and, as far as practicable, when slaughtering is taking place.

The premises, together with the lairs, are kept in a fairly satisfactory condition. Limewashing and cleansing of the walls is frequently carried out, and the floors kept in a proper state of repair.

The collection of offal and garbage is undertaken by the Council, and is removed to the Destructor twice weekly. The butchers provide galvanised iron receptacles for the temporary storage of same.

### FOOD INSPECTION.

The visits to premises where the various Foodstuffs are sold, which includes Butchers' Shops, Fish Shops, Greengrocers' and Grocers' Shops, and other premises where Cooked Foods are sold, amounted to 259.

In the course of my inspections I found the various tradesmen agreeable, and every facility was accorded me when visiting their premises. Any article of food I deemed it necessary to draw their attention to they agreed to surrender to me. In some cases the tradesmen, as soon as they became aware that an article was not in a satisfactory condition, at once sought my advice, and upon my decision surrendered the food for destruction. In every case where an article of food is surrendered I give a certificate to the tradesman, stating the weight and condition of food surrendered.

I append a list of diseased and unsound food which was voluntarily surrendered to me during the year and destroyed in the Council's Destructor.

### Table of Diseased and Unsound Food surrendered:-

Particulars of Food. Beef	Weight. lbs. 400	Condition. Tuberculosis	Method of Disposal.  Destructor
Frozen Beef	132	Unsound	,,
Offal	134	Tuberculosis	,,
Offal	80	Inflammation	,,
Pork	18	Unsound	"
Sago	13	Infested with Insects	,,
1500 Foreign Eggs		Unsound	"
Total	777		

### DAIRIES, COWSHEDS, AND MILKSHOPS.

Three applications were received from persons during the year to register as Purveyors of Milk, one has lapsed, having withdrawn from business, so that the number of purveyors on the register is 15. There are also fifty Dairy Farms and one hundred and seventeen Cowsheds registered.

All the Milkshops and several of the Cowsheds have been inspected. Eight of the Cowsheds have been measured up and reported upon. A copy of the report has been supplied to the Owner and Occupier in each case, accompanied by an informal notice requesting them to place the premises in a sanitary condition. Some of the Cowsheds are, however, in such a dilapidated condition that reconstruction is the only remedy advisable.

### INFECTIOUS DISEASES.

During the year 220 cases of Infectious Disease have been notified (including all forms of Tuberculosis).

This number is a substantial reduction on the previous year's record, and Scarlet Fever has not been so prevalent, there being 93 cases against 203 last year.

Careful inquiries were made in each case, and printed instructions, giving particulars of isolation and the necessary care to be taken to prevent the further spread of infection, were left at every house where a case of Infectious Disease has been notified. Where it is found that proper isolation could not be carried out at home the case was removed to Westhulme Hospital.

After a case has been removed to hospital, or otherwise become convalescent, the house is fumigated, and 373 rooms have been so treated. Izal soap is also provided for washing bedding, scrubbing floors, &c. Izal Fluid and Powder is also supplied.

We are somewhat at a disadvantage in providing for thorough disinfection of clothing and bedding owing to the District not being furnished with a proper Disinfecting Station containing a Steam Disinfector. This is to be regretted, as the responsibility falls upon the occupier of the house. Although he is instructed to boil and wash all articles of clothing and bedding that can be so treated, the carrying out of this advice in some cases cannot always be relied upon.

MONTHLY TOTALS OF REPORTED CASES.

No. of Cases Removed to Hospital.		4		35	-				!	37.
Total.	1	14	14	93	61	4	11	. 57	25	220
Dec.	i	67	62	^	I			9	4	21
Nov. Dec.		4	-	H		l	-	9	-	14
Oct.		7	-	4		I	-	က	1	11
Feb. Mar. Apr. May June July Aug. Sep.		-	<b>C</b> 2	4			63	က	C1	14
Aug.			-	14				4	1	20
July				6				4	က	16
June		г	-	-				9	က	12
May			_	15	-	_		က	21	23
Apr.			-	10		_	_	∞	-	133
Mar.			-	~		-	ಞ	4	က	20
Feb.		က		6		7	21	9	4	25
Jan.	!		က	12	-		_	4		21
		mbran-		!						
(S.		Men	•	i	:	:			•	:
Diseas	#	ding	i	ļ	į	l	atoru	rculos	do.	
Notified Diseases.	į	(including)	į	9r	er	ever	Neor	Tube		Totals
No.	Smallpox	Diphtheria (including Membranous Group)	Erysipelas	Scarlet Fever	Enteric Fever	Puerperal Fever	Ophthalmia Neonatorum	Pulmonary Tuberculosis	Other forms of	Tot
	Sma	Dip	Ery	Sca	Ent	Pue	opt	Pul	Oth	

### SANITARY CONVENIENCES.

The following table contains a summary of the various types of Closets in the District and of those converted during the year:—

Types of Closets.	Number of Closets 1914.	Erected for New Buildings 1915.	Converted 1915.	Number of Closets 1915.
Pail Closets	2,141		167	1,974
Waste Water Closets	2,983	21	117	3,121
Fresh Water Closets	1,420	5	50	1,475
Totals	6,544	26	167	6,570

During the year 423 blocked closets were reported to the Surveyors Department; 387 of these were relating to wastewater closets, which is equivalent to 12.36% of the total number of this type of closet in the District, and 36 were relating to fresh water closets, which is equivalent to 2.44% of the total of this type. The whole of these were attended to by the Surveyor, and free of cost to the owner of the property. The expenses incurred in attending to this work was as follows:—

Unstopping Waste Water Closets ... £12 15s. 6d. Fresh Water Closets ... £2 9s. 0d.

148 Ash-pits have been abolished during the year, and 359 Ash-bins substituted.

### CANAL BOATS ACTS.

Frequent visits were made to the canal towing path for the purpose of inspecting Boats, but I have only been able to examine two boats (both wide). In both cases the boats were satisfactory as regards their occupants and other matters prescribed in the Acts and Regulations.

No case of Infectious Disease was discovered on either boat.

I am,

Yours faithfully,
ARNOLD ASHWORTH, A.R.S.I.

# Chadderton Urban District.—Table 1. Vital Statistics of Whole District during 1915 and Previous Years.

1								
THE	Ages	<b>n</b> ale	16.4	16:3	17.0	13.7	15.21	15.4
Nitt Deaths belonging to the District	At all Ages	12 **	465	463	489	399	448	430
DEATHS BELONG DISTRICT	Under 1 Year of Age	1,000 Nett Births	152	141	129	116.3	101.1	123.8
NETT		10	110	101	66	85	72	81
TRANSFERABLE DEATHS ‡	of Residents not	registered in the District †9	51	09	63	62	99	89
TRANSE	of Non- residents	registered re in the District I	:	9	6	6	7	13
FOTAL DEATHS REGISTERED IN THE DISTRICT	6	real 2	14.6	14:2	15.1	11.8	13.18	13.09
TOTAL REGISTI THE DI	,	Number * 6	414	403	435	346	389	375
	T.	Rate 5	25.6	25.2	24.5	25.0	24.1	22.1
BIRTHS	NETT	Number †4	i	714	694	731	712	654
	Un-	Number 3	723	710	689	729	703	650
Population estimated to	middle of each	year 2	28200	28305 (Census)	28670	29140	29512	\$27868
	YEAR	П	1910	1911	1912	1913	1914	1915

Registrar General's Estimate.

26 Notes.—This Table is arranged to show the gross births and deaths in the district, and the births and deaths properly belonging to it with the corresponding rates. For years before 1911 some of the corrected rates probably will not be available. The rates should be calculated per 1000 of the estimated gross population. In a district in which large Public Institutions for the sick or infirm seriously affect the statistics, the rates in Columns 5 and 13 may be calculated on a nett population, obtained by deducting from the estimated gross population the average number of immates not belonging to the district in such institutions.

\*In Column 6 are to be included the whole of the deaths registered during the year as having actually occurred within the district.

In Column 12 is to be entered the number in Column 6, corrected by subtraction of the number in Column 8 and by addition of the number in Column 9. Deaths in Column 10 are to be similarly corrected by subtraction of the deaths under 1, included in the number given in Column 8, and by addition of the deaths under 1 included in the number given in Column 9, and by

or through the County Medical Officer of Health, will supply the Medical Officer of Health with the particulars of deaths to be entered in Column unless an error is detected, and all such deaths must be included in this Column, unless an error is detected, and its correction has been accepted by the Registrar-Ceneral. For Column 4 the Registra-Ceneral will furnish to the Medical Officer of Health a Statement of the number of births needing to be added to or subtracted + The Medical Officer of Health will be able from the returns made to him by the local Registrar of Deaths, as well as from the quarterly lists furnished by the Registrar-General, to fill in Golumn 8 in accordance with the rule in the next paragraph below. The Registrar-General, either directly

transferable Daths. "are deaths of persons who, having a fixed or usual residence in England or Wates, die in a district other than that in which they resided. The deaths of persons without fixed or usual residence, e.g., casuals must not be included in Columns 8 or 9, except in certain instances under 8 (b) below. The Medical Officer of Health will state in Column 8 the number of transferable deaths of "non-residents" which are to be deducted, and will state in Column 9 the number of transferable Deaths of "non-residents" which are to be added in calculating the net death-rate of his district. The following special cases arise as to Transferable Deaths:

(1) Persons dying in Institutions for the sick or infirm, such as hospitals, lunatic asylums, workhouses, and nursing homes (but not almshouses) must be regarded as residents of the district in which they find a fixed or usual residence at the time of admission. If the person dying in an Institution to no such Institution to another, the death is transferable to the district of residence at the first of admission to the first Institution.

(2) The deaths of infants born and dying within a year of birth in an Institution to which the mother was admitted for her confinement should be referred to the district of fixed or usual residence of the parent.

(3) Deaths from Violence are to be referred (a) to the district of residence, under the general rule; (b) if this district is unknown, or the deceased fabiling on free abode, to the district where the accident occurred, if known; (c) failing this, to the district where the body was found. Average number of persons per house, 4.45, \$ At Census, 1911. Area of District in acres (land and inland water), 3,082.

Number of inhabited houses, 6,358.

Cases of Infectious Disease notified during the Year 1915. CHADDERTON URBAN DISTRICT.—Table II.

Hotel	Cases Rem'vd	Central South Hospt 1	:	:	4	:	32	:	_		:	:	:	:	:	53	:	99
ases		South	:	:	_	:	4	:	:		:	:	:	:	:	ಸಾ	:	10
Total No. of Cases Removed from each	Locality	Central	:	÷	Τ	:	$\infty$	:	:		:	:	:	:	:	Π	÷	20
Total 1	ij	North Ward	i ;	:	2	:	20	:	_		:	:	:	:	:	13	:	36
ptiffed	lity	South	:	:	4	9	^	:	:		: '	_	:	:	:	17	ಸರ	40
Total Cases Notified	in each Locality	Central Ward	:	:	<u>∞</u>	_	37	:	:		: -	_	:	:	<b>C1</b>	13	13	75
Total	in ea	North Ward	:	÷	67	7	49	:	C1		: (	21	:	:	<u></u>	55	12	105
		65 and upwards	:	:	:	_	:	:	:		:	:	;	:	:	<b>C</b> 1	:	8
		45 to 65	:	:	:	6	:	:	:		:	:	:	:	:	^	:	16
NUMBER OF CASES NOTIFIED.	Years	25 to 45	:	:	:	_	:	÷	:		: 0	n	:	:	:	23	ಸಾ	32
ASES N	At Ages—Years	15 to 25	:	:	_	:	∞	:	:		: -	_	:	:	:	18	~	35
ER OF (	A.	5 to 15	:	:	^	က	43	:	-		:	:	:	:	:	^	~	89
NUMB		1 to 5	:	:	9	i	42	:	_		:	:	:	:	:	:	ಣ	52
		Under 1	:	:	÷	:	:	:	:		:	:	:	:	=	:	က	14
	At all	Ages	:	:	14	14	. 93	:	31		•	4	:	:			25	220
		NOTIFIABLE DISEASE	Small-pox	Cholera (C) Plague (P) Dinhtheria (including	Membranous Croup)	Erysipelas	Scarlet Fever	Typhus Fever	Enteric Fever	Relapsing Fever (R) Con-	muled Fever (C)	Fuerperal Fever	Cerebro-spinal Meningitis	Poliomyelitis	Ophthalmia Neonatorum	Pulmonary Tuberculosis	Other forms of Tuberculosis	Totals

Isolation Hospitals—Cinder Hill (Smallpox), Chadderton; Westhulme Hospital, Oldham.

# Chadderton Urban District.—Table III. Causes of, and ages at, Death during the Year 1915.

İ		"R	ETT I	ETT DEATHS AT THE SUBJOINED AGES OF ESIDENTS," WHETHER OCCURRING WITHIN OR WITHOUT THE DISTRICT.								
	Causes of Death.	ALL AGES	Under 1 Year	and under 2 Years	and under	5 and under 15 Years	15 and under 25 Years	25 and under 45 Years	45 and under 65 Years	65 and upwards	Total Deaths whether of "Residents" or "Non-Residents" in Insti- tutions in the Dist.	
1	1	2	3	4	61 5	6	7	8	9	10	11 11	
	All Causes { Certified Uncertified	424 6	78 3	34 1	18	15 	13	55 	110	101		
	Enteric Fever Small-Pox	3			1				2			
ı	Small-Pox	13	2	7	3	1						
1	Scarlet Fever	1				1						
	Whooping Cough	5	2	2	1							
	Diphtheria and Croup											
	Influenza	5			1					4		
١	Erysipelas									•••		
1	Phthisis (Pulmonary	22				)		11	6	1		
١	Tuberculosis) Tuberculous Meningitis	3	1	i	1		4	11		1		
ı	Tuberculous Meningitis Other Tuberculous Diseases		i	1		2	1	i			. 4.	
	Cancer, Malignant Disease	_			1	1		3	15	6		
1	Rheumatic Fever	3				1	1		1		}	
ı	Meningitis	3	1	1	1							
1	Organic Heart Disease	21				2		3	11	5	1	
ı	Bronchitis	44	4					3	14	23		
1	Pneumonia (all forms)	43	8	8	5	1	1	8	7	5		
ı	Other Diseases of Respiratory											
1	Organs	3	1	:	•••			1		1	1	
ı	Diarrhea and Enteritis	18	10	4			•••	1	1	2		
П	Appendicitis and Typhlitis	$\frac{1}{2}$		• • • •	• • •		•••	1	2		}	
ı	Cirrhosis of Liver	1							1			
	Alcoholism Nephritis and Bright's	1							1			
	Disease	19					1	5	12	1 .		
	Puerperal Fever	1						1				
1	Other Accidents and Diseases											
	of Pregnancy and Partu-											
1	rition	3					1	2				
1	Congenital Debility and											
1	Malformation, including		0.0									
	Premature Birth	34	32	2					}			
	Violent Deaths, excluding			1	1	2	1	0				
	Suicide	$\begin{vmatrix} 12 \\ 3 \end{vmatrix}$		1	1		1	$\frac{2}{1}$	$\frac{5}{1}$	1		
	Suicide Other Defined Diseases	$\frac{3}{124}$	16	6	4	4	3	10	31	50		
1	Other Defined Diseases Diseases ill-defined or un-	127	10		-	1		10	O.L.	30		
1	known	11	3	2				2	1	3		
	TOTALS. SUB-ENTRIES included in the above figures—	430	81	35	19	15	13	55 ——	110	102	0	
1	Cerebro-spinal Meningitis											

### Chadderton Urban District-Table IV.

# INFANT MORTALITY, 1915.—Nett Deaths from stated causes at various Ages under 1 Year of Age.

CAUSE OF DEATH.	Under 1 week	1-2 weeks	2-3 weeks	3-4 weeks	Total under 4 weeks	J-3 months	3-6 months	6-9 months	9-12 months	Total deaths under 1 year
All Causes { Certified Uncertified	19 2	7	2	3	31 2	16 1	9	18	4	78 3
Small-Pox				l						
Chicken-Pox										
Measles								1	1	2
Scarlet Fever										1
Whooping Cough								2		2
Diphtheria and Croup										
Erysipelas										
Tuberculous Meningitis						1				1
Abdominal Tuberculosis						1				1
Other Tuberculous Diseases										
Meningitis (not Tuberculous)								1		1
Convulsions	1	1			1	1				2
Laryngitis										
Bronchitis							1		3	4
Pneumonia (all forms)						1	3	4		8
Diarrhœa	1				1	3		4		8
Enteritis	1				1			1		2
Gastritis						1				1
Syphilis			1	1	2	1				3
Rickets										
Suffocation, overlying										
Injury at Birth										
Atelectasis										/
Congenital Malformations	2				2			2	1	4
Premature Birth	10	4		2	16	1	1			18
Atrophy, Debility and					1 1		1			
Marasmus	5	1			6	1	2	1		10
Other Causes	1	2	1		4	6	2	2		14
TOTALS.		7	$-\frac{1}{2}$			15		10		
TUIALS.	21	71	Z	3	33	17	9	18	4	81

Nett Births in the year {  $\begin{array}{c} \text{legitimate} & 631. \\ \text{illegitimate} & 23. \end{array}$ 

Nett Deaths in the year of { legitimate infants 75. } illegitimate infants 6,

# Education Report, 1915.

HEALTH OFFICE,

TOWN HALL,

CHADDERTON.

To the Chairman & Members of the Education Committee of the Urban District of Chadderton

MR. KEMPSEY, MISS BUCKLEY, AND GENTLEMEN,

I have the honour to submit for your consideration the Annual Report on the work done by your Medical Officer and School Nurses during the year 1915.

The appearance of the Report has been delayed owing to the time devoted to the work of the Local Tribunal.

The work at the School Clinic has greatly increased, and the treatment of minor ailments has been carried out under considerable stress by Nurse Reece since Nurse Wolstencroft went away in May to take up Military Nursing.

It is pleasing to report that a number of defects in Schools which were pointed out in last year's Report have been dealt with.

As in previous years the School Nurses have assisted at all the Medical Inspections, carried out the treatment of minor ailments at the Clinic, and made a considerable number of visits to the Schools and to the homes of the children.

I remain,

Your obedient Servant,

JAMES WOOD, M.D., D.P.H.

### Part I.

# Inspection of Schools.

### BUSK SCHOOL.

Infants' Department.—Large Room: Requiries decorating. Rain comes in through the dormer windows. Floor moderately clean.

No. 6 Classroom: Walls require painting, and ceiling needs limewashing.

The Cloakrooms are unsatisfactory.

MIXED DEPARTMENT.—Big Room: Floor cleaner than usual, but picture-frames and ledges dusty. The South corner of the room is damp.

Classrooms Nos. 1 and 2: Floors fairly clean. Windows dirty.

Classroom No. 3: Wall damp. Floor dirty. The artificial light in this room is not good.

There is only one towel for this Department, which is quite insufficient.

Sanitary Conveniences: The W.C.'s for the boys and for the girls require limewashing.

### CHRIST CHURCH SCHOOL.

Infants' Department.—Big Room: Floor, walls, and ceiling moderately clean.

Classroom 1: Floor dirty. Hot water pipes, ledges, and desks very dusty.

Cloakroom: Dirty floor, and ledges very dusty.

Sanitary Conveniences: All the W.C.'s are dirty and require limewashing.

The broken downspouts mentioned last year have not been repaired.

MIXED DEPARTMENT.—Standard III. B. Room: A dark room, only one side fit to use. Floor fairly clean, but ledges, picture-frames, &c., dusty. No thermometer in this room.

Standards III., IV. and V. Rooms: Floors dirty. Walls and ceiling clean. Ledges and picture-frames dusty.

Lower Department.—Floor dirty, and almost everything very dusty.

Playgrounds: One downspout in boys' playground blocked. The downspouts in the other playground, mentioned in last year's Report, have not yet been repaired.

### CORPUS CHRISTI SCHOOL.

MIXED DEPARTMENT.—Large Room: Floor clean. Ceiling and windows clean. One of the partitions is broken.

Classrooms.—Standard I. Room: The defective floor has been partially repaired since last year. Very little dust or dirt in any of the Classrooms,

Standard II B. Room: Some defective boards in the floor, also a defective board in the floor at the door in the passage opposite Standard II. B. Room.

Cloakrooms.—Boys': Defective plaster on wall due to dampness; floor clean, very little dust. Girls': Floor very clean, walls and ceiling fair.

Playgrounds.—Boys': A new grid is required over the gully in this yard.

Sanitary Conveniences.—Boys' W.C.'s (3) all clean. Girls' W.C.'s (5) all very clean.

The downspouts and eaves gutters have been satisfactorily repaired since the last Report.

Infants' Department.—Large Room: The walls and ceiling require decorating. Floor very fair.

Classrooms: Floors and ceilings clean. There are some broken boards in the floor of Classroom III.

Cloakroom: Floor, walls, and ceiling moderately clean.

### DENTON LANE SCHOOL.

MIXED DEPARTMENT.—Large Room: Floor dirty. Ceiling and walls fairly clean. This room is overcrowded, and has not sufficient ventilation.

Classrooms.—No. I.: Ceiling and walls fairly clean. Floor dirty. Windows dirty. Temperature 56°

No. II.: Floor, walls, and ceiling moderately clean. The floor has been repaired since last year. No thermometer in here.

Cloakrooms.—Girls' and Infants': Floor, walls, and ceiling clean.

Boys' Mixed: Floor dirty. Ventilation insufficient.

There is a broken downspout on the Boys' (Infants') Cloakroom.

Sanitary Conveniences.—Boys' W.C.'s (3) need limewashing. One has a damp wall. The flags in the passage are badly laid and water lodges in them.

Girls' W.C.'s (3): Clean, but require limewashing. The walls are damp.

Infants' Department.—Large Room: Cold in here. No thermometer. Floor moderately clean. Pictures and ledges clean.

Classroom: Floor clean. Walls and ceiling fair.

### DRURY LANE SCHOOL.

Large Room and Classroom I. A.—Floors moderately clean. Very little dust. The walls and ceilings need decorating.

Infants' Room.—Floor clean. Very little dust in this room.

The Cloakroom clean.

Sanitary Conveniences.—All clean and in good repair. The defects found last year have been remedied.

Playgrounds.—Surfaces uneven. Pools of water left after rain.

Eaves gutter of the Cloakroom slightly defective.

### EUSTACE STREET SCHOOL.

Infants' Department.—Large Room: Floor clean. Walls and ceiling fair.

Classrooms 1, 2 and 3.—Floors, walls and ceilings clean.

Sanitary Conveniences.—The W.C.'s for the boys and the girls require limewashing.

Cloakroom.—Floor, walls, and ceiling clean. Two clean towels.

MIXED DEPARTMENT.—Large Hall and Classrooms: The floors, walls, ledges, &c., were clean and comparatively free from dust.

The artificial lights in Standard II. B. Room are not very good.

Well ventilated on the whole. Only two rooms a bit "stuffy," the windows being closed.

Girls' Cloakroom.—Floor clean. Walls require decorating.

Sanitary Conveniences.—All the W.C.'s were clean and in good order.

Playgrounds.—Boys': The surface is in poor condition and requires repairing. The Girls' Playground is in good condition. The defects pointed out last year have been remedied.

### MIDDLETON JUNCTION SCHOOL.

MIXED DEPARTMENT.—Large Room: Walls and ceiling good. Floor fairly clean. Ventilation deficient. Ledges, &c., dusty.

Small Classroom: Walls and ceiling good. Some dampness in the ceiling in one place. No thermometer.

Cookery Room: Walls very rough—dusty. Floor dirty. Wall on North side damp. Temperature 65.

Cloakrooms.—Girls': Walls and ceiling good; floor fair. Boys': Ceiling wet, water coming through; floor dirty; walls fair.

Sanitary Conveniences.—All clean and in good repair.

There is a defective downspout on the Joshua Lane side of the School.

Infants' Department.—Large Room and Classroom: Walls and ceilings clean. Floors fair.

Cloakroom.—Walls, ceiling, and floor clean. Very little dust.

### MILLS HILL SCHOOL.

MIXED DEPARTMENT.—Large Hall: Floor dirty. Dusty ledges and picture-frames.

Classrooms Nos. 1 and 2: Floors dirty. Plenty of dust in these rooms.

Cloakrooms.—Boys': Floor dirty. Walls and ceiling fairly clean. One poor, dirty towel.

Girls' and Infants': Floor dirty. Walls very dusty.

One clean towel.

Playgrounds.—Boys': Very dirty surface. Part of the partition dividing the yard from the road is broken down.

Girls' and Infants': Surface very wet. A portion of the wooden fence dividing the yard from the road is missing.

Sanitary Conveniences.—All clean and in good order.

Infants' Department.—Large Room: Cleanliness of floor fair. Ledges, picture-frames, &c., dusty.

Very warm in this room. Temperature 70.°

Classroom and Cookery Room.—Floor clean. Desks, ledges, &c., dusty.

### ST. LUKE'S CHURCH SCHOOL.

MINED DEPARTMENT.—Large Room: Floor and windows dirty. Walls dusty. Defective boards in the floor at entrance to the Girls' Cloakroom. Cool in here, temperature 54.°

Classrooms.—The floors, ledges, picture-frames, &c., are not kept as clean as they ought to be.

The hole in the floor of No. 5 Classroom has not been properly covered in yet.

Cloakrooms.—Boys': Walls and ceiling require decorating. Floor clean. One clean towel.

Girls': Floor clean. Walls and ceiling fair.

Sanitary Conveniences.—Girls' and Infants' W.C.'s: Some slates missing from the roofs of three closets. All are dirty and require limewashing.

Boys': All require limewashing. The slates are defective in two of the closets.

Playgrounds.—The surfaces of the playgrounds thick with mud.

Infants' Department.—Large Room: Floor fairly clean. Windows dirty. Walls require decorating. Ceiling requires limewashing.

Classroom: Floor clean. Walls and ceiling fair. No thermometer.

Cloakroom: Floor clean. Walls and ceiling clean. One clear towel.

### ST. MARK'S CHURCH SCHOOL.

Infants' Department.—Big Room: Floor clean. Walls and ceiling fairly clean. Ledges and picture-frames dusty.

Classroom.—Floor clean. Walls and ceiling moderately clean.

Cloakroom.—One clean towel. Floor and walls clean, Ledges dusty.

MIXED DEPARTMENT.—Large Room: Walls in fair condition. Ceiling clean. Floor fairly clean. Decidedly cool in this room, temperature 53.° Some additional means of heating this room should be provided. Windows fairly clean.

Middle Room.—Some defective boards in the floor require replacing. Some improvement has been made since last year.

Classroom 6.—Walls require decorating. Floor moderately clean. This room was too cool to be comfortable, the temperature being 54° only.

Cloakrooms.—Girls': Water-tap defective. Floor and walls fairly clean. Ceiling good.

Boys': Floor very wet. Walls and ceiling fairly clean.

Playgrounds.—Boys': Very dirty surface. There was a large amount of loose paper about which should have been in the ashbins. Two night-soil pails are used for ashbins.

Girls' & Infants': The surface of the playground is bad.

Sanitary Conveniences.—Boys': The W.C.'s require limewashing. The brickwork over three of them is in a dilapidated condition.

Girls': The W.C.'s were clean, having been newly limewashed.

### ST. MATTHEW'S CHURCH SCHOOL.

MINED DEPARTMENT.—Large Room: Floor uneven. Some defective boards require replacing. Moderately clean. Walls moderately clean. Ledges, &c., rather dusty.

Classroom.—Floor uneven, fairly clean. Warm in this room, temperature  $65.^{\circ}$ 

Infants' Room.—Walls clean. Floor moderately clean. Ledges, &c., rather dusty.

Cloakrooms.—Boys': Floor clean. Ceiling and walls clean. One clean towel.

Girls': Clean walls, floor, and ceiling. One clean towel.

Sanitary Conveniences.—Boys' and Girls': All clean.

### STANLEY ROAD SCHOOL.

Senior Department.—All the floors fairly clean except the Cookery Room, which is dirty. Some of the walls and ceilings require decorating.

Cloakrooms.—Floors clean. Walls require decorating.

Junior Department.—Floors fairly clean. Ledges, picture-frames, pipes, &c., dusty. Walls and ceilings require decorating.

Classroom Standard II. B. is damp in one corner.

Cloakrooms.—Clean, but walls and ceilings require decorating.

Playgrounds.—The asphalt is badly broken in many places in both yards.

Sanitary Conveniences.—All the W.C.'s were clean and in good repair.

INFANTS' DEPARTMENT.—Floors of Large Room and Classroom III. clean, the other moderately clean. Very little dust in this Department.

The gas pendants are too far away from the blackboards in the Classrooms.

Cloakrooms.—Floors clean. Walls and ceilings require decorating. The ceiling of Boys' Cloakroom was damp.

Playgrounds.—The surface (asphalt) of the yard is broken in several places. One gully blocked.

Sanitary Conveniences.—All the W.C.'s clean and in good order.

### Part II.

### Medical Inspection of School Children.

Particulars of the number of children to be examined are obtained from time to time from the Head Teachers. Notices are sent to parents stating that their child is to be examined on a given date. The notice has a list of diseases printed on, and the parent is asked to mark the affections from which the child has suffered. The time of examination is approximately stated. The Head Teachers fill in certain particulars on the inspection cards, e.g.: name, address, date of birth, &c. The School Nurse is present at the inspection, and weighs and measures the children and helps them with their clothing.

The School Medical Officer is also the Medical Officer of Health, so the respective services can easily be worked together.

The Board's Card, as suggested in Circular 576, is in use.

The inspections are done on the School Premises except at Mills Hill Church School and Middleton Junction Wesleyan School; permission has been given by the Board for these diversions. On finding any defect during the inspection of a child, this is pointed out to the parent, if present, and advice given as to the best means of treating same. If the parent is not present, one of the School Nurses visits the home, or a notice is sent by the School Medical Officer to the parent stating the defect, and, if necessary, advising the attendance of a medical practitioner. Many of the cases are also again visited at their homes by the School Nurse to see if any steps have been taken to improve the defective condition. If still untreated, she further urges the necessity of obtaining proper treatment. A large number of these children attend at the Clinic for treatment, and consequently fewer home visits are necessary.

Medical inspection does to some extent in several Schools disturb the School arrangements. No complaint was made during the year.

The number of visits paid to Schools and Departments during the year by the School Medical Officer was 70 for medical inspections and 33 for other purposes, e.g., making enquiries and examining the children in classes in which infectious disease has occurred, cleanliness of the school premises, &c.

The children selected for examination have been Entrants, Intermediates (8 years), and those over 12 years of age. Owing to the absence of one of the Nurses all the Intermediates could not be examined. A few at other ages have also been examined.

The following table gives the number of children inspected, classified for age at date of inspection and sex:—

TABLE 1.-Number of Children Inspected 1st January, 1915, to 31st December, 1915.

A.—" CODE " GROUPS.

				44	
	Grand Total	899	089		1348
	Total	268	305		573
ERS	Other Ages	0	П		П
LEAVERS	14	0	0		0
	13	10	14		24
	125	258	290		548
INTERMEDIATE GROUP	<b>&amp;</b>	91	88		179
	Total	309	287		596
	Other	70	4		6
ANTS	9	58	32		09
ENTRANTS	rc	274	251		525
	4	©1	0		Ç1
	က	0	0		0
	Age	Boys	Girls		Totals

### B.—GROUPS OTHER THAN CODE.

116
23   23   4
in To
Girls Totals

The average time per head occupied by inspection was a little over six minutes.

During the medical inspection of 596 entrants 299 parents were present, or 50.17%; of 179 intermediates, 74, or 41.3%; of 573 leavers, 145 parents were present, or 25.3%.

The number in respect of whom directions were given for treatment of defects was 527 (497 verbally, 30 written notices).

The Height and Weight of children inspected according to age at date of inspection and sex are as follow:—

TABLE II.—Height and Weight.

BOYS'	$\mathbf{HEIGHT}$	$\mathbf{AND}$	WEIGHT.

Age exam		Stan- dard Height inches	Height Cms.	Stan- dard Height Cms.	Weight lbs.	Stan- dard Weight lbs.	Weight Kilos.	Standard Weight Kilos.
5 286	$egin{array}{c cccc} 41.9 & 44.6 & 46.1 & 52.7 & & & \end{array}$	40·4	101·3	102 6	39·7	38·67	18:01	17·54
6 29		42·4	106·4	107 7	44·7	42·96	20:28	19·49
7 14		44·9	113·3	114·1	45·3	46·67	20:54	21·18
8 9		46·6	117·1	118·4	50·2	49·86	22:77	22·62
12 25'		54.9	133·8	139·4	68·6	72·51	31:12	32·89
13 1		55·7	136·4	141·5	76·6	76·91	34:74	34·88

### GIRLS' HEIGHT AND WEIGHT.

Age	No. exam'd	Height inches	Stan- dard Height inches	Height Cms.	Stan- dard Height Cms.	Weight lbs.	Stan- dard Weight lbs.	Weight Kilos.	Standard Weight Kilos.
5	253	40.0	40·1	101.6	101·8	38·3	37·44	17:37	16·97
6	34	42.5	42·1	107.9	106·9	42·1	40·83	19:09	18·52
7	9	44.4	44·5	112.8	113·0	45·4	45·10	20:59	20·46
8	88	45.6	46·1	115.8	117·1	47·0	48·68	21:32	22·08
12	292	53.9	54·6	136.9	138·7	69·5	73·28	31:52	33·23
13	13	56.3	56·6	143.0	143·7	81·4	79·54	36:92	36·08

The standard height and weight given in the above table is for children in the North of England, and is taken from the table prepared by Doctors A. W. Tuxford and R. Ashleigh Glegg.

At intervals the School Nurses examine the children in the Schools as to their cleanliness. As a result many cases of (a) Pediculosis of the head, (b) Ringworm of the scalp, and a few with vermin on the body were found. All these cases were excluded from School until cured. The Nurses "follow up" the cases, and, if possible, get the cases of Pediculosis of the head to attend at the School Clinic. Cases attending get better much quicker than those treated at home. The parents of the children suffering from Ringworm of the scalp are advised to have X-Rays applied. Nineteen cases have been treated by X-Rays during the year.

The following is a Record of the work of the School Nurses during the year (One Nurse after June 1st):—

Medical Inspections	70
Home Visits	790
School Visits	278

All the children in 18 Schools were examined by the Nurse as to cleanliness, &c., and at practically every visit to a School by the Nurse at least one class is examined.

Special visits were made by the Schools Medical Officer to Schools to make enquiries about cases of Infectious Disease, and to examine classes of children in which these diseases had occurred. Such visits were made on account of the prevalence of Measles, Scarlet Fever, and Whooping Cough.

During the year the Infants' Department at Middleton Junction was closed on account of Measles.

The Education Committee again decided to subscribe ten guineas to the Oldham Royal Infirmary. In return for this amount twenty recommends were provided for the use of scholars residing in Chadderton. 47

The recommends are issued by the School Medical Officer.

The following cases were provided with recommends, and the results of the treatment are also shown:—

	In.	Out. C	ured.	Imp'ved.
Ringworm of Scalp		8	8	
Enlarged Tonsils and Adenoids	1	3	4	
Keratitis		1	• • •	1
Ulcer of Cornea		1		1
Aural Polypus		1	1	
Tubercular Bones of Foot	1			1

Condition as to Vaccination of the Children examined:

### ENTRANTS.

0	marks	 353	=	59.2%
1	mark	 8	=	1.3%
2	marks	 26	=	4.4%
3	marks	 12	=	2.0%
4	marks	 197	=	33.1%

### Intermediates.

0 marks	69	=	38.5%
1 mark	6	=	3.4%
2 marks	16	=	8.9%
3 marks	12	=	6.7%
4 marks	76	=	42.5%

### Leavers.

0	marks	 207	=	36.1%
1	mark	 12	=	2.1%
2	marks	 58	=	10.1%
3	marks	 40	=	7.0%
4	marks	 256	=	44 7%

For the past few years greater advantage has been taken of the ability to obtain exemption from vaccination. This is well shown in the difference between the percentages of Entrants and Leavers, who are fully protected against Smallpox. Over 59% of the Entrants (mostly 5 years of age) have no evidence whatever of successful vaccination; thus a large number of susceptible children are growing up who will provide a suitable soil for this disease should it get a foothold in the District.

MISCELLANEOUS WORK.—During the year 128 specimens of hair or scraping from the skin were examined for the Ringworm Fungus; 61, or 47.6 per cent., gave a positive result.

There is no Special School in the District for physically and mentally defective children, the blind or the deaf, but arrangements are made for some of these cases to attend the respective Schools belonging to the County Borough of Oldham.

No scholarship candidates, pupil teachers, or teachers of any grade have been examined during the year.

Sixteen children were operated upon for Enlarged Tonsils, Adenoids, or both, and 19 cases of Ringworm of the scalp were treated by X-Rays.

### Part III.

### The School Clinic.

Situated at 90 and 92, Cowhill. The rooms in use are: Two waiting-rooms for parents and children, one for the Nurses where the treatment of minor ailments is carried out, one for a consulting room for the Doctor, and a small room fitted up for the examination of eyes, ears, &c.

Opened September 14th, 1914.

The School Medical Officer attends on Monday and Thursday mornings to examine them, to advise treatment where necessary, and to supervise the treatment of minor ailments which is carried out by the School Nurses.

During the first five months of the year there were two School Nurses. After this time the work was carried out by one Nurse, the Council having given permission to Nurse Wolstencroft to take up Military Nursing.

The Nurses attend at the Clinic each morning at 9-30 except Saturday, the work frequently continuing until 1-0 p.m.

Special times are arranged by the School Medical Officer for the examination of cases of suspected defective eyesight. The parents of these children are interviewed by the Nurses, who point out to them the difficulty under which the children at school are working. The parents are advised to have their children examined, and to purchase glasses if found necessary. After examination, if found necessary, a prescription for glasses is given. After purchasing, the child again visits the School Medical Officer at the Clinic to see if the spectacles provided are suitable.

Each Friday morning the Clerk from the Health Office attends at the Clinic to do some of the clerical work relating to the work done during the week.

During the year 659 children have been treated at the Clinic, and 9,402 attendances were made by these children. Thus it will be seen that the work at the Clinic has become very considerable, perhaps greater than was at first anticipated. The treatment of such numbers of children by one Nurse is a difficult task.

### SCHOOL EXEMPTION.

622

1

Number of Exemption Certificates given .....

Number Certified Fit to attend School	133
	755
CLASSIFICATION OF CASES EXAMINED AT CLIN	IC.
Abscess	16
Adenitis	13
Anæmia and Debility	26
Chilhlains	9

Diarrhœa

Diseases of the Chest:—	
Bronchitis	21
Pleurisy	1
Diseases of the Ear:—	
Cerumen	114
Deafness	3
Foreign Body in Ear	1
Otitis Media	3
Otorrhœa	31
Polypus	1
Diseases of the Eye:—	
Blepharitis	28
Conjunctivitis	25
Foreign Body in Eye	6
Keratitis	2
Nebula Corneæ	1
Ophthalmia	19
Stye	4
Squint and Defective Vision	8
Ulcers of Cornea	13
Ganglion	1
Heart Disease	3
Indigestion	2
Infectious Diseases:—	
Chicken-pox	3
German Measles	1
Mumps	1
Whooping Cough	3
Injuries	38
Nervous System:—	
Chorea	4
Epilepsy	2
Infantile Paralysis	1
Paralysis after Diphtheria	1
(Hystorical)	1

Nose and Throat:—	
Adenoids	$^{2}$
Enlarged or Inflamed Tonsils	25
Nasal Obstruction (not Adenoids)	7
Rheumatism	4
Rickets	3
Rupture	1
Diseases of the Skin:—	
Acne	1
Alopecia	8
Boils	1
Burns	8
Eczema	40
Erythema	2
Herpes	8
Impetigo	170
Nits 10	
Pediculi Capitis 48	-
— — — — — — — — — — — — — — — — — — —	58
Pediculi Corporis	7
Ringworm of Body	34
,, ,, Head	88
Seborrhœa Capitis	1 8
Urticaria	2
Warts	2
Sores	50
Sprain	1
Stomatitis	]
Tubercular Diseases:—	,
Bone	1
Glands	12
Lungs	18
Various	12
Total	968

### Examination of Children Suspected of Suffering from Defective Eyesight.

During the year 84 children came to the Clinic to have their eyesight tested, and 17 did not respond to the invitation.

Sixty prescriptions for Glasses were given for the following conditions:—  $\,$ 

Hypermetropia (27), Hyper. Astigmatism (13)	) 40
Myopia (5), Myopic Astigmatism (10)	. 15
Mixed Astigmatism	. 5

### Of the remainder—

- 4 suffered from Cataract;
- 1 suffered from Nystagmus, leucoma, and strabismus,
- 5 were provided with suitable Glasses,
- 2 were provided with suitable Glasses by the Guardians,
- 2 obtained Glasses from other sources.
- 10 did not require Glasses.

# CLASSIFICATION OF CASES TREATED AT THE CLINIC.

## No. of Attendances at Clinic..... 9,402.

DISEASE	Number	Cured	Improved	Left to be Treated at Home	Still attending at end of Year	X Rays	Full Time	Skin & Other Full Time Hospitals
Impetigo, &c	142	132	4	5	÷	÷	-	÷
Ringworm—Head	38	13	:	4	12	9	23	-
do. Body	24	24	:	:	:	÷	÷	:
Pediculosis	39	37	-	П	:	:	:	:
Cerumen	93	93	÷	:	:	÷	:	:
Otorrhæa	32	23	:	-	<b>∞</b>	÷	÷	:
Nits	ಸ್	ಸಾ	:	:	<u>:</u>	:	:	:
Sores	54	54	:	÷	:	÷	:	:
Conjunctivitis	333	25	:	:	4	÷	÷	4
Blepharitis	30	25	:	-	4	:	:	:
Eczema	33	24	ପ	4	73	;	<b>-</b> -4.	:
Ophthalmia	20	17	:	Н	ତୀ	:	:	:
Ulcer of Cornea	6	4	Ç1	÷	7	÷	.0	o.r.i. 2
Septic Wounds	21	19	:	П	1	÷	÷	:
Burns	9	ಸಾ	:	-	:	:	:	:

Skin & Other Hospitals	÷	:	÷	÷	:	:	:	:	÷		:	• :	:	œ
Full Time	÷	÷	÷	÷	:	÷	:	:	÷	÷	:	:	÷	4
X Rays	:	:	;	÷	÷	÷	÷	÷	:	÷	÷	÷	÷	9
Still attending at end of Year X Rays	-	:	:	:	:	:	:	:	:	:	:	:	:	35
reated at Home	=	÷	÷	÷	:	÷	Ħ	÷	÷	⊣.	÷	÷	0.1	24
Improved	÷	÷	:	:	:	:	:	:	:	П	:	:	က	13
Cured	9	7	23	4	15	ಣ	<del></del>	2	ಣ	7	6	63	æ	569
Number	œ	2	21	4	15	ಣ	જા	21	အ	10	6	<b>C</b> 1	13	629
DISEASE	Chilblains	Foreign Body in Eye, &c	Debris in Ear	Herpes	Injuries	Boils	Swollen Glands	Blood in Ear Passage	Stye	Abscesses	Scurf	Blisters on Heel, &c	Other Causes	Totals

### CHADDERTON EDUCATION COMMITTEE CLOG FUND.

The following particulars of the above Fund have been kindly given to me by Miss Buckley, the Hon. Secretary and Treasurer to the Clog Fund.

In submitting the Annual Statement of the above Fund for the year ending April, 1916, I am able to report that the demand for assistance has been exceedingly moderate in

comparison with the preceding year.

Trade and general circumstances have been favourable, and the Government allowances to those families who usually sought assistance from the Clog Fund have, to a great extent, improved their position and made them more self-supporting.

Owing to the rise in price of materials the cost of Clogs has considerably increased.

A request was laid before the Relief Committee for a contribution to the Fund consequent upon the high demand during the distress occasioned by the advent of the war. The issue of clogs was very great in the previous year. A subsequent grant of £10 enabled the work to continue without appealing to the public in addition to the numerous other appeals.

At the commencement of the year the balance in hand was £2 1s. 11d.

Fifty-three pairs of clogs have been provided at a cost of £7 1s. 2d., as against 241 pairs costing £28 11s. 7d. last year. This leaves a balance carried of £7 10s.  $7\frac{1}{2}d$ .

### FREE MEALS.

Work in the District has been good during the year, so there has been very little demand for Free Meals.

The total cost of the '' free meals '' provided (Breakfast) being  $\mathfrak{E}4$  0s. 3d.

Table IV.—Return showing the Physical Condition of Children Inspected.

		١										١				I	1
			ENT	ENTHANTS			LEA	LEAVERS		INTE	RMED	IATE	INTERMEDIATE GROUP		To	TOTAL	
	CONDITION.	Boys	Boys Girls T'tal		Per Cent.	Boys	Girls T'tal	L'tal	Per Cent.	Boys	Girls	T'tal	Per Cent.	Boys	Girls	Total	Per Cent.
TOTAL I	L INSPECTED.	309	287	296		268	305	573		91	$\frac{\infty}{\infty}$	179		899	089	1348	
CLOTHING .	Satisfactorv		241 4	023	6.87			420	73.3	9	72	133	74.3	458	565	1023	75.9
	Unsatisfactory			26	21.1			153	26.7	30	9	9	25.7	210	115	325	24.1
FOOTGEAR:	Satisfactory	244	250	494	82.9	213		476	83.1	69	7	140	78.2	526	584	1110	82.3
	Unsatisfactory	65		102	17.1		_	97	16.9	22	17	33	21.8	142	96	238	17.7
ESS	Clean (i.e. no nits or pediculi)	530	162	152	75.8			386	67.4	87	37	124	69.3	638	324	962	71.4
OF HEAD:	Nits only	15		533	20.6	္ -		991	28.9	- <del>1</del> '	<del>2</del> 7	ر ان	27.9 e e	ري د ت	314 49	339	25.1
CLEANLINESS	Tealcuit	4 294	1,7	- 17 570	95.6		282	539	94.1	: 98	့ တွ		92.7	637	638	1275	94.6
	Dirty	15		25	4.3	Ξ		32	5.6	ນດ	œ	13	7.3	31	33	70	5.2
	Pediculi present	:		-	۲:			01	ಚ	:	:	:	:	:	က	က	ઝ
NUTRITION:	Excellent	58		120	20.1	38		116	20.2	21	14	35	19.6	117	154	27.1	20.1
	Normal	215	193	803	68.5			363	63.4	9	53	113	63.1	450	434	<del>1</del> 88	65.7
	Below Normal	36		99	11.1	55	39	94	16.4	10	21	31	17.3	101	90	191	14.1
	Bad	:		01	ಣ	:		:	:	:	:	:	:	:	01	23	۲.
۵	No Defeot	227	558	156	76.5	201	_	421	73.4	57	20	117	65.3	485	499	786 -	73.0
THROAT:	Mouth Breathers	11		14	4.2	- ;		<u>ده</u>	g.	ee ;	27	ا ت	8.5 8.6 8.6		G 9	777	1.8 1.8
	Tonsils, slightly enlarged	69	= 8 :	129	21.6	<del>1</del> 9		141	24.6	21	53	20 20	27.9	154	166 16	350	23.7
	", much entarged	۳ د	<b>O</b> 21	 	2 - 2 7 7 7 2	N 0	~ x	יז נכ	0.1	: c	10 O	10 YC	7.1 8.6	n C	9=	6 2 - 2	
	marked	-	, –	. 01	6.00	-	, ;		3	1	, :	, :	:	27	-	က	2
	Other Defects	ಸ	6	14				:	:	20	10	30	16.8	25	19	7.7	3.3
EXTERNAL	No Disease	289	276	299	8.46	258	290	548	95.6	22	85	169	94.4	634	8+9	1282	95.1
EYE DISEASE:	Blepharitis	14	1~	21			က	9	1.0	_	07	က	1.7	18	21	30	2.5
	Conjunctivitis		01	က	.ن د	-	4	ب ا	6.	-	: (		9. (	. oc	9	ာ ္	- 0
	Corneal Opacities	Τ.		2)	က် ေ	20 1	4 (	9	1.0	- (	n (	40	77 :	4;	χo ç	7.7	<u>.</u>
F		4		ر ا	x (	7	σ <u>(</u>	15	2.6	ကျွ	ကျ	9		14	12	526	E.19
EAR DISEASE: NO	Disease	283		275	90.9	777	259	181	83.9	<u>.</u>	7.7	151	4.40	984 67	550	11/4	37.1
	Obstruction (K)	. F	22 -		0.0 1	9 6	57	50	10.0	:	:	:	:	200	ç Ç €	100	# E
	Otorrhea (R)	# 27		 G 25	. rc	9 ~	3 4	£ 7C	. o	: :	:	: :	: :	- m	) 10	- œ	. e
		-	27	· eo	, r.ċ	A	-	· eo	ro	-	:	_	9.	က	ာ	9	4.
	Other Disease	_	_	27	ಚ	1	:	-:	-	12	16	28	15.6	13	17	30	2.2
											l						1

			-			1		I		ı		ı				ı	1
Текти:	Sound	22	34	99	9.4	36		81	14.1	20			9.5	63	91	154	11.4
	Tess than four decayed	103	92	195	32.7	136	165	301	52.5	3.4 4.5		_	32.4	273	281	554	41 1
	Four or more decayed	178	161	339	56.9	46:		186	32.5	52	52	†0I	58.1	324	305	629	46.7
	Spines			9	10		000	rc.	6		-			œ	or:	1	α 2
Heart AND	No Disease	080	906	546	9:6	576	986	52.5	93.5	. 00 4	14		6 68	613	689	1949	9.5
CIRCILATION .	Organic Disease	5		14	4.6	7		=	6.	3	4	9	4	2 2	2 2	3.5	
OTHER DESIGNATION .	Functional Disease	0.00	9	6.	149		i ic	9	0.1	00	oc	100	5.6	9	61	25.	0
	4 nomis	1	0	96	4.3	-	-	99	00	ا ا (۲	)	- cc	1	` <del></del>	8	2.50	2 7
	Allenia	-	- د	3 -	o G	77	1	1	5	•	 :	 D	-	70	3 -	7 -	7:0
T	Utiler Delect			10%	4.00				. 00	: 5		: 1		0	T 00	1000	T. 00
LUNGS:	No Disease			999	99.0	700		200	33.0	31	00		0.00	##0	100	1300	90.8
	Ch. Bronchitis & Bronl. Catarrh	20	- 15	35	5.9	:	:	:	:	:	_	_	ာ	3	16	36	2.7
	Tuberculosis	:	:	:	:	:	_	_	υi	:	:	:	:	:	_	_	-:
	Tuberculosis suspected	-	7	2)	ಯ	က	:	က	نت	:	:	:	:	4	_	ಬ	က္
	Other Disease	:	:	:	:	:		:	:	:	-	_	9:	:	_	_	٦.
NERVOUS	No Disease	908	284	290	99.0	267	304	571	966	22	87	47	97.2	099	675	1335	0.66
SYSTEM:	Epilepsy, major or minor	27	-	က	χċ	_	:	_	ઝ	:	:	:	:	က	-	4	ೞ
	Chorea	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
	Other Disease	-	21	က	χċ		_	-	сi	4	-	ಸು	2.8	20	4	6	7
SKIN:	No Disease	277	256	533	89.4	243	283	526	91.8	87	81	891	93.9	209	620	1227	910
	Ringworm, body				: :									:			
-	hoad .	c	œ	: =	1 7	-	-		c:					್	. o	19	.0
	-	1 H	) W	2 5	- 1:	۰,	+ 7	11		:	: 0	: 0	1. -	ာ		7 6	
	Tili perigo	ۍ <del>ب</del>	2	27	Ţ.	ာ	<del>+</del>	-	1:0	:	<b>ว</b>	<u></u>		۰ -	77	3.	۲.ن ب
	Scables	-	: ;	٦ ;	-: ;	: 8	: 1	: 8	: 6	:	:	: 0	: ,	٦ ;	: 6	- G	٦,
	es-		<u>x</u>	42	7.1	21		200	2.9	11	4	00	4.4	<del>4</del> 9	က္က	œ œ	6.5
RICKETS:	ase	292		571	95.8	560	301	561	97.9	82	84 	7	95.5	633	664	1303	9.96
	Slight	∞	က	11	1.8	4	:	4	۲.	01	က	ກວ	8.2	14	9	20	1.5 1.5
	Marked	6		14	2.4	4	<del>-1</del>	 ∞	- <del>†</del>	Ø	-	က	1.7	15	10	25.	1.9
DEFORMITIES:	No Deformity	290	277	267	95.1	257	301	558	97.4	85	84	991	92.7	629	662	1291	95.8
	Deformity present	19		53	4.9	11	4	15	5.6	6		13	7.3	39	18	57	4.2
TUBERCULOSIS	No Disease	307	286	593	9.66	264	302	999	98.8	91	<del></del>	179	0.00	662	929	1338	99.3
Non-	Glandular	Ø	:	23	က္	01	က	ಸರ	o:	:	:	:	:	4	က	_	rċ
-PULMONARY:	Bones and Joints		-	-	Γ.	22	:	<b>C</b> 1	က	:	:	:	:	21	-	က	ઝ
	Other Forms	:		:	:	:	:	:	:	:		:	:	:	:	:	:
SPEECH:	Not Defective	285	270	555	93.1	253	294	547	95.4	88	86	74	97.2	626	650	1276	94.7
	Defective Articulation	24	17	41	6.9	12		21	3.7	-	0.7	က	1.7	37	82	65	8.4
	Stammering		:	:	:	က	0.1	ro	6.	vv	:	21	1:1	າວ	22	1	ró
MENTAL	Normal	:	:	:	:	223		478	83.4	83	83	99	92.7	306	338	644	85.6
CONDITION:	Dull or Backward	:	• ;	:	:	45	848	68	16.3	×	20	133	7.3	53	53	106	14.1
	Mentally Defective (all grades)		-	- :	-		2	2	.3	- ::	- :	- ::		:	2	2	6.
		l					ı										

Table IV.—Return showing the Physical Condition of Children Inspected.—continued.

1	Per Cent.	6.69	8:1	21.4	4·2 ··	8.68	5.0	7 K1 13 C	2.0	1.5		Per Cent.	2.9.	43.4
	Total   F	514	19	157	.: 18	869	16	18 1	91 25	3 22	TOTAL	Total	764	585
TOTAL	-										To	Girls	377	292
	Girls	251	39	80	6	363	ت ت ق	14.	တ ဗ	C 1~		Boys	387	293
	Boys	263	25	89	G :	335	Ξ	† <del>†</del>	1~0	ာ ဗ	OUP	Per Cent.	64.2	36.3
	lent.	2.99	9.2	25.3	1.7	93.3	8 i.	E	ယ် နဲ		INTERMEDIATE GROUP	Total	115	65
dip.	Per Cent.	65		25.		E6 			ന <del>-</del>		ERMEDI	Girls	56	35
TE GRO	Total	116	17	45	භ <u>;</u>	167	70 S	e 91	ಅ ಇ	. 24	INTE	Boys	59	333
INTERMEDIATE GROUP	Girls	55	10	55	- :	83	н с	7	က <del>-</del>	10		Per Cent.	60.3	39-4
INI	Boys	61	15	 83	o₁ :	84	4 -		න හ	1 21	7ERS	Total	976	226
	1										LEAVERS	Girls	164	142
	Per Cent.	71.4	% 10	20.1	2.7	7.26	1.9	. 63 69	1:7 2:1	1.0		Boys	182	8
ž	Total	398	47	112	15	531		91	2 2	1 =		Per Cent.	20.8	49.3
LEAVERS		961		- 29	∞ <del>4</del>	280	40		ت رت —		ANTS	Total	303	594
	Girls	118	2)			స		_			ENTRANTS	Girls	157	118
	Boys	202	18	<b>√</b> 45	x -1	251	1~ cc	o eo -	41~	<del>- 1</del> 1		Boys	146	176
	rrion	6/6 each eye	Less than 6/6, but not less than 6/9 in one or both eyes.	in one or both eyes (i.e., 6/12	Entrants	20ft. each ear	20ft.—R	10ft.—R	off.—R	ı			Not Present.	Present
	CONDITION		Visio級:		Squint {		HEARING	(Whisper):					OTHER Distance on	DEFECT:

TABLE V.-Numerical Return of all Exceptional Children in the Area.

Total	1	=	1	-	9	6/1	2	63	111	9	7	4	81
Girls	I	1	I	1	23	1	1	-	5	က	က	7	<del>_</del>
Boys	I	1	1	1	4	1	70	1	9	ಣ	4	2	П
	BLIND (including partially blind)—Attending Public Elementary Schools	" Attending Certified Schools for the Blind	DEAF AND DUMB (including partially deaf)—Attending Public Elementary Schools	" Attending Certified Schools for the Deaf	MENTALLY DEFICIENT. Feeble Minded—Attending Public Elementary Schools	". Imbeciles—Not at School	EPILEPTICS—Attending Public Elementary Schools	PHYSICALLY DEFECTIVE. Pulmonary Tuberculosis—Attending Public Elementary Schools	" Not at School	". Other Forms of Tuberculosis—Attending Public Elementary Schools	". Not at School	" Cripples other than Tubercular — Attending Public Elementary Schools	" Not at School
	BLIND (incl.		DEAF AND	33	MENTALLY		EPILEPTICS-	PHYSICALLY	£	. 66	. 66	ę	n

TABLE VI.—Treatment of Defects of Children during 1915.

						TREATED		Percentage of Defects	Percentage of Defects
Depect	Old Cases	New Cases	Total	No Report	Remedied	Improved	Unchanged	Untreated	Treated
	18	31	49	4	42	က	:	:	100
Defective Vision	9	22	28	2	19	:	:	2	75
Tonsils	9	13	19	:	G	4	÷	9	68.4
Tonsils & Adenoids.	П	23	က	:	က	:	:	÷	100
Adenoids	П	-	23	:	67	:	:	÷	100
Impetigo	:	15	15	:	15	:	:	÷	100
Heart Disease	:	9	9	:	:	9	:	÷	100
Strabismus	:	7	2	:	9	:	:	_	85.7
Pediculi (Head)	:	9	9	÷	9	:	:	÷	100
,, (Head & Body)	:	2	87	:	23	:	:	:	100
Cerumen	:	7	2	:	9	:	:	-	85.7
Nasal Obstruction	:	4	4	67	:	:	7	÷	100
" Polypus	-	÷	1	:	_	÷	:	÷	100
ın	÷	4	4	:	4	:	:	:	90
Blepharitis	:	ಣ	က	:	_	7	:	:	100
Tuberculosis—Lungs	:	4	4	:	:	က	-	÷	100
Glands	:	7 3	-	:	:	_	:	÷	100
Tonsilitis	:	အ	ಣ	:	က	:	:	÷	100
Whooping Cough	÷	က	က	:	7	П	:	÷	100

Percentage	Treated	100	0	100	100	100	100	100	100	100	100	0	100	100	100	100	100	100	100
Ã,	Untreate	:	4	:	:	:	÷	:	:	:	:	:	:	:	:	:	:	:	:
	Unchanged	:	:	:	:	:	:	:	_	:	:	:	:	:	:	:	:	:	÷
TREATED	Improved Unchanged	67	:	П	:	÷	:	:	П	÷		:	:	<del></del> i	:	:	:	П	-
	Remedied	:	:	:	П	П	_	_	:	П	:	:	П	:	_	П	21	÷	:
	No Report	:	:	:	:	÷	÷	:	÷	:	:	1	:	:	:	:	:	:	:
	Total	63	4	_	П	-	_	П	<b>C</b> 1	П	-	_	П	_	Н	П	0.1	-	_
	New Cases	ଫ	4	1	_	_		<del></del> 1	П	П	П	1	П	_	П	П	ପ		П
	Old Cases	÷	:	:	:	:	:	÷	-	:	:	÷	÷	:	÷	:	:	÷	:
	DEFECT O	Teeth	Mentally Defective	Leucoma	Foreign Body in Ear	Paralysis	Scalds	Diphtheria	Cataracts	Otorrhæa	Enaresis	Scabies	Chicken Pox	Eczema	Septic Wound	Mumps	Dirty Bodies	Insufficient Clothing	Overclad

The numbers under the heading "No Report" are chiefly those children who have left the District or have become full time. These numbers have not been taken into account in the " percentage of defects treated."





